

	Type	Hits	Search Text
1	IS&R	802	((353/52) or (353/57) or (353/58) or (353/60) or (353/61) or (353/119)).CCLS.
2	IS&R	407	((353/52) or (353/57) or (353/58) or (353/60) or (353/61)).CCLS.
3	IS&R	906	((353/52) or (353/57) or (353/58) or (353/60) or (353/61) or (353/119)).CCLS.
4	IS&R	505	(353/119).CCLS.
5	IS&R	471	((353/52) or (353/57) or (353/58) or (353/60) or (353/61)).CCLS.
6	BRS	70	S4 and S5
7	IS&R	505	(353/119).CCLS.
8	IS&R	471	((353/52) or (353/57) or (353/58) or (353/60) or (353/61)).CCLS.
9	IS&R	906	((353/52) or (353/57) or (353/58) or (353/60) or (353/61) or (353/119)).CCLS.
10	BRS	3484422	exhaust or exit or out\$3
11	BRS	313249	S10 with (bottom or floor)
12	BRS	117	S7 and S11
13	IS&R	1	("20040125343").PN.
14	IS&R	948	((353/52) or (353/57) or (353/58) or (353/60) or (353/61) or (353/119)).CCLS.
15	IS&R	492	((353/52) or (353/57) or (353/58) or (353/60) or (353/61)).CCLS.
16	IS&R	0	("2000-19646").PN.
17	IS&R	0	("200019646").PN.
18	BRS	0	"200019646"
19	BRS	1	"2000019646"
20	IS&R	1	("2000019646").PN.
21	IS&R	2	(("6,402,326") or ("3,768,546")).PN.
22	IS&R	1	("2000194071").PN.
23	BRS	837466	outlet exhaust

	DBs
1	USPAT
2	USPAT
3	US-PGPUB; USPAT
4	US-PGPUB; USPAT
5	US-PGPUB; USPAT
6	US-PGPUB; USPAT
7	US-PGPUB; USPAT
8	US-PGPUB; USPAT
9	US-PGPUB; USPAT
10	US-PGPUB; USPAT
11	US-PGPUB; USPAT
12	US-PGPUB; USPAT
13	US-PGPUB; USPAT
14	US-PGPUB; USPAT
15	US-PGPUB; USPAT
16	JPO
17	JPO
18	JPO
19	JPO
20	JPO
21	US-PGPUB; USPAT
22	JPO
23	US-PGPUB; USPAT; EPO; JPO

	Type	Hits	Search Text
24	BRS	1867564	bottom
25	BRS	77019	S23 with S24
26	BRS	89050	first near2 path
27	BRS	75793	second near2 path
28	BRS	1290963	project\$3
29	BRS	36814	S26 with S27
30	BRS	2	S29 and S30
31	BRS	38	S15 and S25
32	BRS	8665	S28 and S30
33	BRS	4583	S32 and (lamp light)
34	BRS	354	S33 and fan
35	BRS	296	S25 and S32
36	BRS	112	S35 and (lamp light)
37	BRS	23	S36 and fan
38	BRS	125	S35 and (projector or projection)
39	BRS	217470	first near2 (path or air or flow)
40	BRS	185728	second near2 (path or air or flow)
41	BRS	837466	outlet exhaust
42	BRS	48995	second near2 S41

	DBs
24	US-PGPUB; USPAT; EPO; JPO
25	US-PGPUB; USPAT; EPO; JPO
26	US-PGPUB; USPAT; EPO; JPO
27	US-PGPUB; USPAT; EPO; JPO
28	US-PGPUB; USPAT; EPO; JPO
29	US-PGPUB; USPAT; EPO; JPO
30	US-PGPUB; USPAT; EPO; JPO
31	US-PGPUB; USPAT; EPO; JPO
32	US-PGPUB; USPAT; EPO; JPO
33	US-PGPUB; USPAT; EPO; JPO
34	US-PGPUB; USPAT; EPO; JPO
35	US-PGPUB; USPAT; EPO; JPO
36	US-PGPUB; USPAT; EPO; JPO
37	US-PGPUB; USPAT; EPO; JPO
38	US-PGPUB; USPAT; EPO; JPO
39	US-PGPUB; USPAT; EPO; JPO
40	US-PGPUB; USPAT; EPO; JPO
41	US-PGPUB; USPAT; EPO; JPO
42	US-PGPUB; USPAT; EPO; JPO

	Type	Hits	Search Text
43	IS&R	492	((353/52) or (353/57) or (353/58) or (353/60) or (353/61)).CCLS.
44	BRS	33	S42 and S43
45	IS&R	573	(362/373).CCLS.
46	BRS	9	S42 and S45
47	BRS	385	sirocco
48	BRS	58963	temperature near sensor\$3
49	IS&R	813	((353/52) or (353/57) or (353/58) or (353/60) or (353/61) or (353/119)).CCLS.
50	BRS	0	S49 and S50
51	BRS	8	S47 same S48
52	BRS	67	S47 and S48
53	BRS	1	S49 and S52

	DBs
43	US-PGPUB; USPAT
44	US-PGPUB; USPAT; EPO; JPO
45	USPAT
46	US-PGPUB; USPAT; EPO; JPO
47	USPAT
48	USPAT
49	USPAT
50	USPAT
51	USPAT
52	USPAT
53	USPAT